

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	115	battery and receiver and stimulator and prosthetic and hearing	US-PGPUB; USPAT	AND	ON	2009/10/08 13:37
L2	13	battery near2 charg\$4 and receiver and stimulator and prosthetic and hearing	US-PGPUB; USPAT	AND	ON	2009/10/08 13:37
L3	8	("4532930" "5411537" "5702431" "5739596" "6067474" "6223077" "6586850").PN. OR ("6922591").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/08 13:39
L4	13	(battery near4 charg \$4) and receiver and stimulator and prosthetic and hearing	US-PGPUB; USPAT	AND	ON	2009/10/08 13:40
L5	80	battery and receiver near2 stimulator and prosthetic	US-PGPUB; USPAT	AND	ON	2009/10/08 13:43
L6	13	battery and receiver near2 stimulator and prosthetic and totally near2 implantable	US-PGPUB; USPAT	AND	ON	2009/10/08 14:18
L8	2499	(battery or batteries) near4 ("low load" or "light load" or idle or sleep or "stand by" or standby or "stand-by") and (voltage near4 (predetermined or reference or target or desired or threshold))	US-PGPUB; USPAT	AND	ON	2009/10/08 15:00

L9	101	((battery or batteries) near4 ("low load" or "light load" or idle or sleep or "stand by" or standby or "stand-by")) same (offset or compensate or error)) and (voltage near4 (predetermined or reference or target or desired or threshold))	US-PGPUB; USPAT	AND	ON	2009/10/08 15:01
L10	164	charg\$4 and predetermined and voltage and range and low and load and battery and offset and error.ab.	US-PGPUB; USPAT	AND	ON	2009/10/08 15:08
L11	37532	"307"/\$.CCLS.	US-PGPUB; USPAT	AND	ON	2009/10/08 15:26
L12	30396	"607"/\$.CCLS.	US-PGPUB; USPAT	AND	ON	2009/10/08 15:26
L13	14297	"320"/\$.CCLS.	US-PGPUB; USPAT	AND	ON	2009/10/08 15:26
L14	249	8 AND 11	US-PGPUB; USPAT	AND	ON	2009/10/08 15:26
L15	55	8 AND 12	US-PGPUB; USPAT	AND	ON	2009/10/08 15:26
L16	512	8 AND 13	US-PGPUB; USPAT	AND	ON	2009/10/08 15:26
L17	11	calibrat\$4 same battery same calibration same load near6 (low or sleep\$4 or standby)	US-PGPUB; USPAT	AND	ON	2009/10/08 15:34
L18	101	((offset or compensate or error) same (battery or batteries) near4 ("low load" or "light load" or idle or sleep or "stand by" or standby or "stand-by")) and (voltage near4 (predetermined or reference or target or desired or threshold))	US-PGPUB; USPAT	AND	ON	2009/10/08 15:36
L19	19	"6227204"	US-PGPUB; USPAT	AND	OFF	2009/10/08 15:51

L20	24	"6570363"	US-PGPUB; USPAT	AND	ON	2009/10/08 15:58
L21	15	"6671552"	US-PGPUB; USPAT	AND	ON	2009/10/08 16:02
L22	154947	implant	US-PGPUB; USPAT	AND	ON	2009/10/08 16:05
L23	126	8 and 22	US-PGPUB; USPAT	AND	ON	2009/10/08 16:05
L26	1173	381/322-324.ccls.	US-PGPUB; USPAT	AND	OFF	2009/10/08 17:14
L27	270	381/326.ccls.	US-PGPUB; USPAT	AND	OFF	2009/10/08 17:15
L28	419	381/380.ccls.	US-PGPUB; USPAT	AND	OFF	2009/10/08 17:15
L29	167	320/122.ccls.	US-PGPUB; USPAT	AND	OFF	2009/10/08 17:15

10/ 8/ 2009 5:16:40 PM

C:\ Documents and Settings\ epham\ My Documents\ EAST\ Workspaces\ 10565210.wsp